


Hiflow[®] ring 20-4 ceramics



Physical data

Nominal size	20 mm	
Weight	693 kg/m ³	
Surface area	280 m ² /m ³	
Void fraction	71 %	
Material	porcelain	

Pressure drop



KE121 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.


All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 35-5 ceramics




Physical data

Nominal size	35 mm
Weight	658 kg/m ³
Surface area	128 m ² /m ³
Void fraction	73 %
Material	porcelain



Pressure drop



KE122 02.05.06


The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.


Hiflow[®] ring 50-6 ceramics



Physical data

Nominal size	50 mm	
Weight	466 kg/m ³	
Surface area	102 m ² /m ³	
Void fraction	81 %	
Material	porcelain	

Pressure drop



KE123 02.05.06


The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.


Hiflow[®] ring 75-9 ceramics



Physical data

Nominal size	75 mm	
Weight	485 kg/m ³	
Surface area	70 m ² /m ³	
Void fraction	80 %	
Material	porcelain	

Pressure drop



KE124 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.