

Hiflow[®] ring 110-8 metal




Physical data

Nominal size	110 mm
Thickness	0,8 mm
Weight	147 kg/m ³
Surface area	52 m ² /m ³
Void fraction	98 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME116 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 25-5 metal




Physical data

Nominal size	25 mm
Thickness	0,5 mm
Weight	372 kg/m ³
Surface area	185 m ² /m ³
Void fraction	95 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME111 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20. All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 28-5 metal




Physical data

Nominal size	28 mm
Thickness	0,5 mm
Weight	372 kg/m ³
Surface area	185 m ² /m ³
Void fraction	95 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME112 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 38-5 metal




Physical data

Nominal size	38 mm
Thickness	0,5 mm
Weight	255 kg/m ³
Surface area	145 m ² /m ³
Void fraction	96 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME113 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 40-5 metal




Physical data

Nominal size	40 mm
Thickness	0,5 mm
Weight	244 kg/m ³
Surface area	143 m ² /m ³
Void fraction	97 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME114 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 50-5 metal




Physical data

Nominal size	50 mm
Thickness	0,5 mm
Weight	175 kg/m ³
Surface area	95 m ² /m ³
Void fraction	98 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME115 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.