

Hiflow[®] ring 15-7 plastic




Physical data

Nominal size	15 mm
Weight	80 kg/m ³
Surface area	313 m ² /m ³
Void fraction	91 %
Material	PP
Available materials	PP, PPH, PE, PVC, C-PVC, PVDF, PFA, ECTFE and others on request



Pressure drop



PE111 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 25-7 plastic




Physical data

Nominal size	25 mm
Weight	85 kg/m ³
Surface area	214 m ² /m ³
Void fraction	91 %
Material	PP
Available materials	PP, PPH, PE, PVC, C-PVC, PVDF, PFA, ECTFE and others on request



Pressure drop



PE112 25.06.07

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.


All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 38-1 plastic




Physical data

Nominal size	38 mm
Weight	58 kg/m ³
Surface area	150 m ² /m ³
Void fraction	94 %
Material	PP
Available materials	PP, PPH, PE, PVC, C-PVC, PVDF, PFA, ECTFE and others on request



Pressure drop



PE113 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 50-0 plastic




Physical data

Nominal size	50 mm
Weight	54 kg/m ³
Surface area	110 m ² /m ³
Void fraction	94 %
Material	PP
Available materials	PP, PPH, PE and others on request



Pressure drop



PE114 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 50-3 plastic




Physical data

Nominal size	50 mm
Weight	82 kg/m ³
Surface area	95 m ² /m ³
Void fraction	94 %
Material	C-PVC
Available materials	PP, PPH, PE and others on request



Pressure drop



PE155 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 50-6 plastic




Physical data

Nominal size	50 mm
Weight	46 kg/m ³
Surface area	90 m ² /m ³
Void fraction	94 %
Material	PP
Available materials	PP, PPH, PE and others on request



Pressure drop



PE116 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Hiflow[®] ring 90-7 plastic




Physical data

Nominal size	90 mm
Weight	30 kg/m ³
Surface area	76 m ² /m ³
Void fraction	97 %
Material	PP
Available materials	PP, PPH, PE, PVC, C-PVC, PVDF, PFA, ECTFE and others on request



Pressure drop



PE117 25.06.07

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.