

RMSR 25-3




Physical data

Nominal size	25 mm
Thickness	0,3 mm
Weight	228 kg/m ³
Surface area	235 m ² /m ³
Void fraction	97 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME311 08.05.09

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

RMSR 40-4




Physical data

Nominal size	40 mm
Thickness	0,4 mm
Weight	241 kg/m ³
Surface area	170 m ² /m ³
Void fraction	97 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME312 08.05.09

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

RMSR 50-4




Physical data

Nominal size	50 mm
Thickness	0,4 mm
Weight	158 kg/m ³
Surface area	115 m ² /m ³
Void fraction	97 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME313 08.05.09

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

RMSR 60-4




Physical data

Nominal size	60 mm
Thickness	0,4 mm
Weight	127 kg/m ³
Surface area	90 m ² /m ³
Void fraction	98 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME314 08.05.09

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.


All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

RMSR 70-5




Physical data

Nominal size	70 mm
Thickness	0,5 mm
Weight	116 kg/m ³
Surface area	67 m ² /m ³
Void fraction	98 %
Material	stainless steel
Available material	carbon steel, titanium, hastelloy, nickel, copper, aluminium and others on request



Pressure drop



ME311 08.01.13

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.