

Raflux ring 25-0 plastic




Physical data

Nominal size	25 mm
Weight	90 kg/m ³
Surface area	220 m ² /m ³
Void fraction	90 %
Material	PP
Available materials	PP, PPH, PE, PVC, C-PVC, PVDF, PFA, ECTFE and others on request



Pressure drop



PE212 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Raflux ring 25-8 plastic




Physical data

Nominal size	25 mm
Weight	78 kg/m ³
Surface area	220 m ² /m ³
Void fraction	91 %
Material	PP
Available materials	PP, PPH, PE, PVC, C-PVC, PVDF, PFA, ECTFE and others on request



Pressure drop



PE214 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Raflux ring 35-0 plastic




Physical data

Nominal size	35 mm
Weight	78 kg/m ³
Surface area	160 m ² /m ³
Void fraction	92 %
Material	PP
Available materials	PP, PPH, PE, PVC, C-PVC, PVDF, PFA, ECTFE and others on request



Pressure drop



PE215 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Raflux ring 38-8 plastic




Physical data

Nominal size	38 mm
Weight	68 kg/m ³
Surface area	175 m ² /m ³
Void fraction	92 %
Material	PP
Available materials	PP, PPH, PE, PVC, C-PVC, PVDF, PFA, ECTFE and others on request



Pressure drop



PE216 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.


All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Raflux ring 50-1 plastic




Physical data

Nominal size	50 mm
Weight	52 kg/m ³
Surface area	110 m ² /m ³
Void fraction	94 %
Material	PP
Available materials	PPH, PVC, C-PVC, PVDF, PFA, ECTFE and others on request



Pressure drop



PE218 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Raflux ring 50-8 plastic




Physical data

Nominal size	50 mm
Weight	60 kg/m ³
Surface area	110 m ² /m ³
Void fraction	93 %
Material	PP
Available materials	PP, PPH, PE and others on request



Pressure drop



PE219 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Raflux ring 90-8 plastic




Physical data

Nominal size	90 mm
Weight	38 kg/m ³
Surface area	86 m ² /m ³
Void fraction	96 %
Material	PP
Available materials	PP, PPH, PE, PVC, C-PVC, PVDF, PFA, ECTFE and others on request



Pressure drop



PE2112 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.