

Saddles # 0,5 ceramics




Physical data

Nominal size	0,5
Weight	770 kg/m ³
Surface area	540 m ² /m ³
Void fraction	67 %
Material	stoneware
Available material	stoneware



Pressure drop



KE321 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.


Saddles # 0,75 ceramics



Physical data

Nominal size	0,75	
Weight	660 kg/m ³	
Surface area	338 m ² /m ³	
Void fraction	72 %	
Material	stoneware	
Available material	stoneware	

Pressure drop



KE325 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Saddles # 1 ceramics




Physical data

Nominal size	1
Weight	616 kg/m ³
Surface area	250 m ² /m ³
Void fraction	74 %
Material	stoneware
Available material	stoneware



Pressure drop



KE323 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Saddles # 1,5 ceramics




Physical data

Nominal size	1,5
Weight	561 kg/m ³
Surface area	164 m ² /m ³
Void fraction	76 %
Material	stoneware
Available material	stoneware



Pressure drop



KE322 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Saddles # 2 ceramics




Physical data

Nominal size	2
Weight	540 kg/m ³
Surface area	120 m ² /m ³
Void fraction	77 %
Material	stoneware
Available material	stoneware



Pressure drop



KE324 02.05.06

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.


All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.

Saddles # 3 ceramics




Physical data

Nominal size	3
Weight	520 kg/m ³
Surface area	92 m ² /m ³
Void fraction	78 %
Material	stoneware
Available material	stoneware



Pressure drop



KE327 08.12.09

The values indicated above apply for a ratio of diameter of vessel to tower packings of D/d = 20.

All information presented herein is believed to be accurate and reliable but does not constitute a warranty or performance guarantee on part of RVT Process Equipment GmbH.